

Veri sayfası | Ürün numarası: 762-3000


Web Paneli; 10,9 cm (4,3"); 480 x 272 piksel; 2 x USB, 2 x ETHERNET

www.wago.com/762-3000



RoHS ✓
Compliant

BOMcheck.net



Ürün tanımı

Specifically configured as a Web browser, the Web Panel directly connects to controllers with integrated Web visualization.

The e!COCKPIT (CODESYS 3) and CODESYS 2.3 Web visualizations have been specifically optimized for the Web Panel.

Veri

Technical Data

Display diagonal	10,9 cm (4.3 Inches)
Gösterim	TFT, wide viewing angle
Gösterim renkleri	16 milyon renk
Graphics resolution	(480 x 272) px
Kontrast oranı	600:1
Görüş açısı, yatay/dikey	80° / 80°
Parlaklık	500
HBT Half Brightness Time	50 h
Visualization	Web-Visu
Protokoller	DHCP DNS FTP FTPS HTTP HTTPS SSH
İletişim	Web browser (CODESYS2)



İşletim sistemi	Linux®
İşlemci	ARM® Cortex™ A8 600 MHz
Ana bellek (RAM)	512 MB
Dahili bellek (flaş)	1024 MB
Hafıza kartı tipi	microSD (max. 2 GB), microSDHC (max. 32 GB)
Baud rate	ETHERNET: 10/100 Mbit/s
Indicators	3-color LED (red, green, blue)
Panel	Resistive touch panel, two capacitive keys, proximity sensor
Supply voltage	SELV DC 24 V (18 ... 31,2 V); mit Verpolungsschutz
Maks. giriş akımı (24V)	170 mA
Çalışma gücü	max. 4.0 W

Bağlantı verisi

Connection technology: communication/fieldbus	Modbus TCP: 2 x RJ-45; USB: 2 x USB 2.0 host (type A)
---	---

Geometrical Data

Width	155 mm / 6.102 inch
Height	135 mm / 5.315 inch
Depth	58 mm / 2.283 inch
Panel cutout (W x H)	(140 x 120) mm

Mekanik Veri

Ağırlık	728
Ön panel	Plastik, polyester film
Gövde malzemesi	Anodized aluminum
Uygunluk işareti	CE

Environmental Requirements

Surrounding air (operating) temperature	0 ... 55 °C
Surrounding air (storage) temperature	-20 ... 80 °C
Koruma sınıfı	IP65
Nisbi nem (yoğuşmasız)	90 %
Montaj tipi	Clamping elements (included) or VESA mount (4 x M4x8)

Ticari Veri

SAP'den ambalaj tipi	BOX
Country of origin	DE
GTIN	4055143356510
Customs Tariff No.	84714100000

Onaylar / Belgeler**Country specific Approvals**

Logo	Onay	İlave Onay Metni	Belge adı
	KC National Radio Research Agency	Article 58-2, Clause 3	MSIP- REM- W43- WBP762

Ship Approvals

Logo	Onay	İlave Onay Metni	Belge adı
	DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAA00001FS
	PRS Polski Rejestr Statków	-	TE/2190 /880590/18

UL-Approvals

Logo	Onay	İlave Onay Metni	Belge adı
	UL Underwriters Laboratories Inc. (ORDINARY LOCATIONS)	UL 61010-2-201	E175199

Uyumlu ürünler**memory card**

	Ürün no.: 758-879/000-3102 Hafıza kartı SD Micro; 2 GByte	www.wago.com/758-879/000-3102
--	--	--

assembling

	Ürün no.: 762-9001 e!DISPLAY7300T ; Tespit elemanı (4 adet)	www.wago.com/762-9001
--	--	--

Dosya İndirme**Documentation****Manual**

e!DISPI AY 7300T Web Panel



Disposal; Electrical and electronic equipment, Packaging
WP 4.3 480x272 PIO 1

V 1.1.0

pdf
2,2 MB

İndir

Additional Information

Disposal; Electrical and electronic equipment, Packaging

V 1.0.0

pdf
265,8 kB

İndir

System Description

Overview on WAGO-I/O-SYSTEM 750 approvals

pdf
780,2 kB

İndir

Operation and Monitoring – General Product Information

pdf
795,2 kB

İndir

Runtime Software

Firmware

Firmware: 762-3000 Web Panel; 10.9 cm (4.3"); 480 x 272 pixels; 2 x USB, 2 x
ETHERNET04
31.Eki.2019zip
99,6 MB

İndir

CAD/CAE-Data

CAD data

2D/3D Models 762-3000

URL

İndir

CAE data

EPLAN Data Portal 762-3000

İndir

WSCAD Universe 762-3000

İndir

Installation Notes



Ürün ailesi

DISPLAY 7300T

[Show all products from the family](#)

Değişikliklere tabidir.

WAGO Elektronik Sanayi ve Ticaret Ltd. Şti.
Yukarı Dudullu Mahallesi Bayraktar Bulvarı
Cad. Hattat Sok. No. 10 | 34775 Ümraniye - İstanbul
Tel.: +90 216 472 1133 111 | Fax: +90 216 472 9910
Email: info.tr@wago.com

Ürünlerimizle ilgili sorularınız mı var?
+90 216 472 1133 numaralı telefondan sizinle konuşmaktan mutluluk
duyarız.